



CO-ORDINATES OF STATION
 STA. A E515 916.990 - N1558 883.679
 All distances are in Metres

TRAVERSE

LINE	GRID BEARING	DIST.
(101)	o ' "	metres
A - X11	353 38 54	46.10
X11 - B	327 54 30	44.22
B - B1	232 12 33	58.45
B1 - 10	137 07 26	46.72
10 - A	107 07 06	45.01

CERTIFIED CORRECT

 DATE LODGED 7.3.2006
RECORD NO. SM 86/2006
 R. Baptiste
CHIEF SURVEYOR

MEMO.

Survey was executed between 6th.July and 5th October 2005.
 Instruments used were: a Topcon GTS 226 Total Station, TDS Data Collector and a 60 m Offset Tape
 Grid co-ordinates were obtained by traversing from Trig station DOS 133
 D.C.A. Approval No. 925/04

LEGEND

- ⊙ Traverse station, iron in concrete found
- ⊖ Traverse station, iron in concrete put
- ⊕ Traverse station, wood peg
- Iron in concrete put
- Iron in concrete found

(Sgd.) R.Baptiste

LICENSED LAND SURVEYOR



Scale 1 : 1000

CASTRIES ST. LUCIA
 DRAWING No: GI.5194K
 DRAWN By: (Sgd.) S.John
 SURVEYED By: (Sgd.) R.Baptiste
 Lic. Land Surveyor
 DATE: February 14th, 2006

Extract of Lot 101 from Plan Showing
 Sub-division of Seven (7) Lots located at
 SEA BREEZE HILLS (CAP EST. - EAST) (PHASE1)
 Quarter of GROS ISLET
 made at the instance of
 CAP ESTATE LIMITED