



CERTIFIED CORRECT
[Signature]
 DATE LODGED 3rd Aug 2006
 RECORD NO. SM372/2006
CHIEF SURVEYOR
[Signature]
26 Sept 2006

TRAVERSE

LINE	GRID BRG.	DISTANCE	
		Metres	Feet
(102)			
C - D	330 40 23	36.72	120.47
D - D4	246 56 02	66.86	219.36
D4 - C1	141 25 53	40.38	132.48
C1 - B2	129 48 05	17.50	57.41
B2 - C	47 54 08	55.11	180.81

MEMO :

The survey was executed between 6th July 2005 and 20th June 2006.
 Instruments used were a Topcon GTS 226 Total Station TDS Data Collector and a 60m offset Tape.
 Grid Co-ordinates were obtained by traversing from Trig. Stn. DOS 133.
 This Survey Plan supercedes Lot 114 of Plan GI.5192B; Lot 117 of Plan GI.5193B and Lots 107, 120, 121, 122, & 123 of Plan GI.5194K.
 D. C. A. Approval No. 925/2004

Legend

- ⊙ Traverse station, iron in concrete found
- ⊙ Traverse station, iron in concrete put
- Wooden peg
- Iron put
- Iron found

(Sgd) Rufinus Baptiste
 Licensed Land Surveyor



SCALE 1 : 1000

<p>CASTRIES ST. LUCIA</p> <p>DRAWING No: <u>GI 5257 T</u></p> <p>DRAWN By: <u>(Sgd) S. John</u></p> <p>SURVEYED By: <u>(Sgd) R. Baptiste</u> <small>Lic. Land Surveyor RUFINUS BAPTISTE</small></p> <p>DATE <u>15th September 2006</u></p>	<p>Extract of lot 102 from Plan Showing Sub-division survey of Twenty-two (22) lots located at Sea Breeze Hills (CAP ESTATE - EAST) (Phase 1) Quarter of GROS ISLET made at the instance of CAP ESTATE LTD</p>
---	---