



LINE	GRID BRG.	DISTANCE	
		Metres	Feet
(104)			
F - G	48 37 39	35.69	117.09
G - G1	328 36 48	86.90	285.10
G1 - G4	235 26 49	24.20	79.40
G4 - G3	233 27 35	30.95	101.54
G3 - G2	133 36 58	25.71	84.35
G2 - F1	244 29 18	19.81	64.99
F1 - F6	227 28 18	18.72	61.42
F6 - F	109 17 37	80.90	265.42

MEMO :

The survey was executed between 6th July 2005 and 20th June 2006.

Instruments used were a Topcon GTS 226 Total Station TDS Data Collector and a 60m offset Tape.

Grid Co-ordinates were obtained by traversing from Trig. Stn. DOS 133.

This Survey Plan supercedes Lot 114 of Plan GI.5192B; Lot 117 of Plan GI.5193B and Lots 107, 120, 121, 122, & 123 of Plan GI.5194K.

D. C. A. Approval No. 925/2004

CERTIFIED CORRECT

[Signature]

DATE LODGED 3rd AUG 2006

RECORD NO. SM 372/2006

26 Sept 2006

CHIEF SURVEYOR

(Sgd) Rufinus Baptiste
Licensed Land Surveyor

- Legend**
- ⊙ Traverse station, iron in concrete found
 - ⊖ Traverse station, iron in concrete put
 - Wooden peg
 - ◊ Iron put
 - Iron found



SCALE 1 : 1000

CASTRIES ST. LUCIA

DRAWING No: GI 5257 T

DRAWN By: (Sgd) S. John

SURVEYED By: (Sgd) R. Baptiste
Lic. Land Surveyor
RUFINUS BAPTISTE

DATE 15th September 2006

Extract of lot 104 from
Plan Showing Sub-division
survey of Twenty-two (22) lots
located at Sea Breeze Hills (CAP ESTATE - EAST)
(Phase 1)
Quarter of GROS ISLET
made at the instance of
CAP ESTATE LTD