

CERTIFIED CORRECT
[Signature]
 DATE LOOKED 31 August 26 Sept 2006 SM 372/2006
CHIEF SURVEYOR

TRAVERSE


LINE	GRID BRG.	DISTANCE	
		Metres	Feet
(108)			
K1 - J1	299 03 42	27.21	89.27
J1 - J4	218 13 25	46.92	153.94
J4 - J6	211 09 46	44.76	146.85
J6 - K3	159 03 16	71.84	235.69
K3 - K2	16 57 49	67.03	219.91
K2 - K1	25 24 38	71.85	235.73

MEMO :

The survey was executed between 6th July 2005 and 20th June 2006.
 Instruments used were a Topcon GTS 226 Total Station TDS Data Collector and a 60m offset Tape.
 Grid Co-ordinates were obtained by traversing from Trig. Stn. DOS 133.
 This Survey Plan supercedes Lot 114 of Plan GI.5192B; Lot 117 of Plan GI.5193B and Lots 107, 120, 121, 122, & 123 of Plan GI.5194K.
 D. C. A. Approval No. 925/2004

Legend

- ⊙ Traverse station, iron in concrete found
- ⊙ Traverse station, iron in concrete put
- Wooden peg
- Iron put
- Iron found



(Sgd) Rufinus Baptiste
 Licensed Land Surveyor

CASTRIES ST. LUCIA

DRAWING No: GL 5257 T
 DRAWN By: (Sgd) S. John
 SURVEYED By: (Sgd) R. Baptiste
Lic. Land Surveyor RUFINUS BAPTISTE
 DATE 15th September 2006

Extract of lot 108 from
 Plan Showing Sub-division
 survey of Twenty-two (22) lots
 located at Sea Breeze Hills (CAP ESTATE - EAST)
 (Phase 1)
 Quarter of GROS ISLET
 made at the instance of
 CAP ESTATE LTD