

CERTIFIED CORRECT

Rufinus Baptiste
 DATE CORRECTED 13.8.2008
 RECORD NO. SM370/2008
 CHIEF SURVEYOR

TRAVERSE

LINE	GRID BEARING	DISTANCE	
		metres	feet
106	" " "		
50 - 60	357 49 34	57.59	188.94
60 - 90	268 21 58	15.82	51.91
90 - 91	250 16 50	52.30	171.58
91 - 91B	180 12 34	17.73	58.18
91B - 40	130 39 11	7.96	26.10
40 - 41	162 53 04	10.63	34.89
41 - 50	96 15 32	58.48	191.87


MEMO.

Survey was executed on 17th July 2008.
 Instruments used were: Topcon GTS 226
 Total Station and a 60 metre offset tape.
 Reference was made to Plan of Survey GI 5520K
 from which Grid Coordinates were adopted.
 This re-survey plan supercedes Lot 106 of Plan
 GI. 5520K.
 Re-survey is currently Block and Parcel 1658B 80.

LEGEND

- ⊙ Traverse station, iron in concrete found
- ⊙ Traverse station, iron in concrete put

R. Baptiste
 RUFINUS BAPTISTE
 LICENSED LAND SURVEYOR



CASTRIES ST. LUCIA

DRAWING No: CE 5550 K

DRAWN By: R. Baptiste

SURVEYED By: R. Baptiste
 Lic. Land Surveyor

DATE: July 23rd, 2008

Plan Showing Extract Of Lot 106 from
 Re-survey of 4 Lots (Plan GI 5520K)
 At SEA BREEZE HEIGHTS
 CAP ESTATE - Quarter of GROS ISLET
 made at the instance of
 CAP ESTATE LTD.