



CO-ORDINATES OF STATION

STA. A E515 991.782 - N1558 654.538
All distances are in Metres

TRAVERSE

LINE	GRID BEARING	DISTANCE	
		metres	feet
(118)	" " "		
43 - B1	240 03 55	77.66	254.77
B1 - A	155 43 39	10.13	33.25
A - 16B	117 06 35	67.78	222.36
16B - 45	27 41 23	12.90	42.32
45 - 44	358 40 08	15.46	50.71
44 - 43	356 50 40	52.06	170.81

MEMO.

The survey was executed between 6th and 7th August 2007. Instruments used were a Topcon GTS 226 and 60m Offset Tape. Reference was made to Plans GI.5202R and GI.5395T. Grid Co-ordinates were obtained by traverse from Trig Station DOS 133.

DCA Approval 882/2006.

Survey is currently Part of Parcel 1458B 509

CERTIFIED CORRECT
DATE LODGED 10th DEC 2007
5 Mar 2008
RECORD NO. SM 583/2007
CHIEF SURVEYOR

LEGEND

- ⊙ Traverse station, iron in concrete found
- ⊙ Traverse station, iron in concrete put
- ⊙ Traverse station, wood peg
- Iron in concrete put
- Iron in concrete found

(sgd.)RUFINUS BAPTISTE
Licensed Land Surveyor



Scale 1 : 1000

CASTRIES ST. LUCIA

DRAWING No: G.I. 5457 T

DRAWN By: (sgd.)R. BAPTISTE

SURVEYED By: (sgd.)R. BAPTISTE
Lic. Land Surveyor

DATE: 26th October 2007.

Extract of Lot 118 from a Plan Showing survey of Sixteen (16) Lots located at CAP ESTATE (MOUNT HARDY) Quarter of GROS ISLET made at the instance of **CAP ESTATE LTD.**